No. 8900173

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'9302'

In Testimony Whereof, *I have hereunto set my hand and caused the seal of the* Plant Variety Protection Office *to be affixed at the City of* Washington, D. C. *this* 31st *day of* December *in the year of our Lord one thousand nine hundred and ninety.*

Attest:

Kenneth A. Evans
Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Clayton Yeutter
Secretary of Agriculture

APPROVAL EXPIRES 2-28-88

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

FORM APPROVED: OMB NO. 0581-0055

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S)
Pioneer Hi-Bred International, Inc.

2. TEMPORARY DESIGNATION

3. VARIETY NAME
9302

4. ADDRESS *(Street and No. or R.F.D. No., City, State, and Zip Code)*
700 Capital Square
400 Locust Street
Des Moines, IA 50309

5. PHONE *(Include area code)*
319-234-0335

FOR OFFICIAL USE ONLY

PVPO NUMBER
8900173

6. GENUS AND SPECIES NAME
Glycine Max

7. FAMILY NAME *(Botanical)*
Leguminosae

FILING
DATE Apr. 17, 1989
TIME ☐ A.M. ☐ P.M.

8. KIND NAME
Soybean

9. DATE OF DETERMINATION
October, 1984
January, 1987(increase)

FEES RECEIVED
AMOUNT FOR FILING
$ 1800.00
DATE Apr. 17, 1989
AMOUNT FOR CERTIFICATE
$ 200.00
DATE Dec. 3, 1990

10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION *(Corporation, partnership, association, etc.)*
Corporation

11. IF INCORPORATED, GIVE STATE OF INCORPORATION
Iowa

12. DATE OF INCORPORATION
1926

13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS

Clark W. Jennings
3261 West Airline Highway
Waterloo, IA 50703-9610

Mary Helen Mitchell (copy)
700 Capital Square - 400 Locust Street
Des Moines, IA 50309

PHONE *(Include area code)*:

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED

a. ☒ Exhibit A, Origin and Breeding History of the Variety *(See Section 52 of the Plant Variety Protection Act.)*
b. ☒ **Exhibit B, Novelty Statement.**
c. ☒ **Exhibit C, Objective Description of Variety *(Request form from Plant Variety Protection Office.)***
d. ☐ **Exhibit D, Additional Description of Variety.**
e. ☒ **Exhibit E, Statement of the Basis of Applicant's Ownership.**

15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? *(See Section 83(a) of the Plant Variety Protection Act.)* ☐ Yes *(If "Yes," answer items 16 and 17 below)* ☒ No

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
☐ Yes ☒ No

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?
☐ Foundation ☐ Registered ☐ Certified

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?
☐ Yes *(If "Yes," give date)*
☒ No

19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETED IN THE U.S. OR OTHER COUNTRIES ?
☐ Yes *(If "Yes," give names of countries and dates)*
☒ No

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT
Clark Jennings
DATE
April 6, 1989

SIGNATURE OF APPLICANT
DATE

FORM LS-470 (3-86) *Edition of 7-84 obsolete.*

8900173

Attachment: **9302 Soybean** (April, 1989)

Exhibit A: Variety **9302** evolved from a cross of Variety Williams 79 X Variety 9292. It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of **9302** was grown in Ohio during the summer of 1984. Subsequently, **9302** has undergone four years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation with no evidence of variants.

Seed hila of Variety **9302** are brown in color, and under certain environmental conditions may appear light brown or buff in color. When seeds of this type are planted, they produce plants having seeds with brown hila color.

Six acres of **9302** (breeder's seed) were grown in 1987 and 127 acres of parent seedstock (foundation seed equivalent) were grown in 1988.

Exhibit B: Variety **9302** is most similar to Variety 9292, A3127 and Pella 86. However, **9302** has tan pod walls, brown hila and is resistant to race 3 of Phytophthora megasperma var. sojae. In contrast 9292 has brown pod walls and is susceptible to race 3.

9302 differs from A3127 in that **9302** has brown hila and is resistant to race 3 of Phytophthora megasperma var. sojae, whereas A3127 has black hila and is susceptible to race 3.

9302 differs from Pella 86 in that **9302** has brown hila and is susceptible to race 4 of Phytophthora megasperma var. sojae, whereas Pella 86 has black hila and is resistant to race 4.

Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety **9302**, for which it solicits a certificate of protection.

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C
(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (Glycine max L.*)*

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		9302

ADDRESS *(Street and No., or R.F.D. No., City, State, and Zip Code)*
700 Capital Square
400 Locust Street
Des Moines, IA 50309

FOR OFFICIAL USE ONLY
PVPO NUMBER
8900173

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., [0][9]).

1. SEED SHAPE:

[2]



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

2. SEED COAT COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green 3 = Brown 4 = Black 5 = Other *(Specify)* _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

[2] 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')

4. SEED SIZE: (Mature Seed)

[1][6] Grams per 100 seeds

5. HILUM COLOR: (Mature Seed)

[3] 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = Imperfect Black 6 = Black 7 = Other *(Specify)* _____

6. COTYLEDON COLOR: (Mature Seed)

[1] 1 = Yellow 2 = Green

7. SEED PROTEIN PEROXIDASE ACTIVITY:

[2] 1 = Low 2 = High

8. SEED PROTEIN ELECTROPHORETIC BAND:

[ ] 1 = Type A ($SP1^a$) 2 = Type B ($SP1^b$)

9. HYPOCOTYL COLOR:

[4] 1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

10. LEAFLET SHAPE:

[2] 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other *(Specify)* _____

11. LEAFLET SIZE:

[2] 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17')
3 = Large ('Crawford'; 'Tracy')

12. LEAF COLOR:

[2] 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton')
3 = Dark Green ('Gnome'; 'Tracy')

13. FLOWER COLOR:

[2] 1 = White 2 = Purple 3 = White with purple throat

14. POD COLOR:

[1] 1 = Tan 2 = Brown 3 = Black

15. PLANT PUBESCENCE COLOR:

[2] 1 = Gray 2 = Brown (Tawny)

16. PLANT TYPES:

[2] 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')
3 = Bushy ('Gnome'; 'Govan')

17. PLANT HABIT:

[3] 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will')
3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

18. MATURITY GROUP:

[0][6] 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V
9 = VI 10 = VII 11 = VIII 12 = IX 13 = X

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

BACTERIAL DISEASES:

[0] Bacterial Pustule *(Xanthomonas phaseoli* var. *sojensis)*

[0] Bacterial Blight *(Pseudomonas glycinea)*

[0] Wildfire *(Pseudomonas tabaci)*

FUNGAL DISEASES:

[0] Brown Spot *(Septoria glycines)*

Frogeye Leaf Spot *(Cercospora sojina)*

[0] Race 1 [0] Race 2 [0] Race 3 [0] Race 4 [0] Race 5 [ ] Other *(Specify)* _____

[0] Target Spot *(Corynespora cassiicola)*

[0] Downy Mildew *(Peronospora trifoliorum* var. *manshurica)*

[0] Powdery Mildew *(Microsphaera diffusa)*

[0] Brown Stem Rot *(Cephalosporium gregatum)*

[0] Stem Canker *(Diaporthe phaseolorum* var. *caulivora)*

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

FUNGAL DISEASES: (Continued)

[0] Pod and Stem Blight *(Diaporthe phaseolorum* var; *sojae)*

[0] Purple Seed Stain *(Cercospora kikuchii)*

[0] Rhizoctonia Root Rot *(Rhizoctonia solani)*

Phytophthora Rot *(Phytophthora megasperma* var. *sojae)*

[2] Race 1 [2] Race 2 [2] Race 3 [1] Race 4 [1] Race 5 [0] Race 6 [2] Race 7

[2] Race 8 [2] Race 9 [2] Other *(Specify)* 10,11,13,15,17,21,23,24

VIRAL DISEASES:

[0] Bud Blight (Tobacco Ringspot Virus)

[0] Yellow Mosaic (Bean Yellow Mosaic Virus)

[0] Cowpea Mosaic (Cowpea Chlorotic Virus)

[0] Pod Mottle (Bean Pod Mottle Virus)

[0] Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

Soybean Cyst Nematode *(Heterodera glycines)*

[1] Race 1 [1] Race 2 [1] Race 3 [1] Race 4 [ ] Other *(Specify)* _____

[1] Lance Nematode *(Hoplolaimus Colombus)*

[1] Southern Root Knot Nematode *(Meloidogyne incognita)*

[1] Northern Root Knot Nematode *(Meloidogyne Hapla)*

[1] Peanut Root Knot Nematode *(Meloidogyne arenaria)*

[1] Reniform Nematode *(Rotylenchulus reniformis)*

[ ] OTHER DISEASE NOT ON FORM *(Specify)*: _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[1] Iron Chlorosis on Calcareous Soil

[ ] Other *(Specify)* _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

[0] Mexican Bean Beetle *(Epilachna varivestis)*

[0] Potato Leaf Hopper *(Empoasca fabae)*

[ ] Other *(Specify)* _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	A3127	Seed Coat Luster	A3127
Leaf Shape	A3127	Seed Size	9292
Leaf Color	A3127	Seed Shape	A3127
Leaf Size	A3127	Seedling Pigmentation	A3127

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
9302 Submitted	128	1.5	88.9					16.0	
A3127 Name of Similar Variety	135	1.9	101.1					14.0	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A_2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.